eco-labelled?

BUILDING PRODUCT DECLARATION BPD 3

in compliance with the guidelines of the Ecocycle Council, June 2007

| 1 Basic data | | | | | | | | |
|---|--|-------------------------|---|---|--|------------|------|--|
| Product identification | | | | Docun | nent ID | | | |
| Product name porcelain ceramic tiles for floor and walls - collection Ekeberg Honed | Product no/ID designation Fine stoneware ceramic tiles with low water absorption E<0.5% group EN 14411 - ISO 13006 annex G | | | Product group tiles, clinker and mosaic | | | | |
| | In the case of | f a revise | d declaration | on | | | | |
| ☐ Revised declaration | Has the product changed? | | | | change relates to constituent materials better ecified | | | |
| | □ No □ | Yes | Changed pr | oduct ca | n be identified | l by | | |
| Drawn up/revised on (date) 19 m | narch 2020 | | Inspected w | vithout r | evision on (da | te) | | |
| | | | | | | | | |
| Other information: | | | | | | | | |
| 2 Supplier information Company name CERAMICHE A | | DE | | any reg. | no/DUNS no | p.iva | | |
| Address Via Canaletto. | 141 – 41042 Spe | zzano di | | Contact person Davide Carra | | | | |
| Fiorano (MO) | | | Telephone +300536867811 | | | | | |
| Website: www.atlasconcorde.it | | | E-mai | E-mail d.carra@gruppoconcorde.it | | | | |
| Does the company have an environment | onmental manager | nent systen | n? ⊠ Ye | s 🗆 No | | | | |
| The company possesses certification in compliance with | ⊠ ISO 9000 | □ ISO 140 | 000 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | her | If "other", pl PEF, FDES 14021, CC | , CE, LEED | | |
| | | | | | | | | |
| Other information: | | | | | | | | |
| 3 Product information | | | | | | | | |
| Country of final manufacture | Italy | If country | y cannot be s | tated, pl | ease state why | , | | |
| Area of use | | | | | | | | |
| Is there a Safety Data Sheet for the | nis product? | | | \square N | ot relevant | ⊠ Yes | □ No | |
| In accordance with the regulation Chemicals Agency, please state: | s of the Swedish | Classifica Labelling | | | | evant | | |
| Is the product registered in BAST | ΓA? | | | | | □ Yes | □ No | |
| Has the product been | teria not found | □ Ves | ⊠ No | If"v | es" nlease sne | ecify: | | |

| Is there a Type III environmental declaration for the product? | □ Yes | ⊠ No |
|--|-------|------|
| Other information: | | |

4 Contents (To add a new green row, select and copy an entire empty row and paste it in)

| At the time of delivery, the product comprises the following parts/components, with the chemical composition stated: | | | | | | | | |
|--|------------------------|------------------|--------------------------|---------------------|----------|--|--|--|
| Constituent materials/ components | Constituent substances | Weight % or g | EG no/ CAS no (or alloy) | Classifi- cation | Comments | | | |
| SiO2 | | 69,6% | 99439-28-8 | | | | | |
| Al2O3 | | 21,1% | 90669-62-8 | | | | | |
| Hematite | | 0,3% | 8011-97-0 | | | | | |
| TiO2 | | 0,3% | 98084-96-9 | | | | | |
| CaO | | 0,5% | 60873-85-0 | | | | | |
| MgO | | 0,4% | 82375-77-7 | | | | | |
| Na2O | | 4,8% | 12401-86-4 | | | | | |
| K2O | | 3,0% | 37382-43-7 | | | | | |

| Other information: | | | | | | | | |
|---|------------------------|------------------|--------------------------|---------------------|----------|--|--|--|
| If the chemical composition of the product after it is built in differs from that at the time of delivery, the content of the finished built in product should be given here. If the content is unchanged, no data need be given in the following table. | | | | | | | | |
| Constituent materials/ components | Constituent substances | Weight % or g | EG no/ CAS no (or alloy) | Classifi- cation | Comments | | | |
| | | | | | | | | |
| | | | | | | | | |
| Other information: | | | | | | | | |

5 Production phase

| Resource utilisation and environmental imp ways: | pact during production of | of the item is repo | rted in | one of the following | | | |
|---|-----------------------------|---------------------|----------------|---|--|--|--|
| 1) Inflows (goods, intermediate goods, encoutflows (emissions and residual productions) | | | nanufa | ncturing unit, and the | | | |
| \Box 2) All inflows and outflows from the extra | ction of raw materials to | finished products i | .e. "cra | dle-to-gate". | | | |
| ☐ 3) Other limitation. State what: | | | | | | | |
| The report relates to unit of product sqm | | | | | | | |
| Indicate raw materials and intermediate goo | re of the product | ☐ Not relevant | | | | | |
| Raw material/intermediate goods | Quantity and unit | | | Comments | | | |
| Feldspar | 11,6 kg/sqm | | | | | | |
| Sand | 4,75 kg/sqm | 4,75 kg/sqm | | | | | |
| Clay | 6,9 kg/sqm | | | | | | |
| Indicate recycled materials used in the manuf | facture of the product | | ☐ Not relevant | | | | |
| Type of material Quantity and unit | | | | Comments | | | |
| ceramic tiles before firing process | from 0 kg/sqm to 5,0 kg/sqm | | | quantity depending from type of body and colour of body | | | |
| | | | | | | | |
| Enter the energy used in the manufacture of the | ne product or its compone | nt parts | | ot relevant | | | |

| Type of energy | Quantity and | Comments | | | | | | |
|---|--|-------------------|-----------------------------|-------------------|---|--|------|--|
| gas methane CH4 | < 3,5 mJ | < 3,5 mJ/kg | | | | ecolabel mandatory requirement | | |
| Electric energy | | <12,0 kwh | n/sqm | | | | | |
| Enter the transportation used | d in the manufac | cture of the prod | luct or its compon | ent parts | □ No | ot relevant | | |
| Type of transportation | | Proportion % | | | Comn | nents | | |
| ship, railway | 80 | 80 | | | | Transportation from Turkey, from Ukraina and from Sardinia to Italy coast by ship. Transportation from coast to factory by truck / railway | | |
| truck | 20 | | | | Transportation from Turkey, from Ukrainaand from Sardinia to Italy coast by ship. Transportation from coast to factory by truck / railway | | | |
| Enter the emissions to air, water or soil from the manufacture of the product or its component parts | | | or its | □ No | ot relevant | | | |
| Type of emission | | Quantity and | | | Comments | | | |
| particulate matter (du | particulate matter (dust) < 5,2 gr / sqm | | | | European Ecolabel requirement | | | |
| fluorides (as HF) | | < 0,2 gr / sq | 0,2 gr / sqm | | | European Ecolabel requirement | | |
| Enter the residual products f | rom the manufa | cture of the prod | | | ☐ Not relevant | | | |
| | | | Proportion recy Material | | | | | |
| Residual product | Waste code | Quantity | recycled % | Energy recycled % | 6 Comments | | | |
| | | | | | | | | |
| Is there a description of the data accuracy for the manufacturing data? | ⊠ Yes | | | | | 001 certified since many duct control are guaranteed | | |
| | | | | | | | | |
| Other information: | | | | | | | | |
| | | | | | | | | |
| 6 Distribution of fini | shed prod | uct | | | | | | |
| Opes the supplier put into praproduct? | • | | d carriers for the | □ Not re | levant | ⊠ Yes | □ No | |
| Does the supplier put into pra | ctice a system for | or returning load | | □ Not re | | ⊠ Yes | □ No | |
| Does the supplier put into pra product? Does the supplier put into pra | ctice a system for | or returning load | | | levant | | | |
| Does the supplier put into pra product? Does the supplier put into pra for the product? | ctice a system for | or returning load | | □ Not re | levant levant | ⊠ Yes | □ No | |

| 7 Construction phase | | | | | | | | | |
|---|---|------------------|------|-----------|---------------|---------------|---|-------------------------------|--|
| Are there any special requirements in product during storage? | there any special requirements for the duct during storage? | | ant | ⊠ Yes | □ No | humidit | , please specify: y (in order to safe- package) | | |
| Are there any special requirements for building products because of this prod | | □ Not releva | ant | □ Yes | ⊠ No | | , please spec | ify: | |
| | | | | | • | • | | | |
| Other information: | | | | | | | | | |
| 8 Usage phase | | | | | | | | | |
| Does the product involve any special requirements for intermediate goods regarding operation and maintenance? | | | | Yes | ⊠ No | If "yes", | If "yes", please specify: | | |
| Does the product have any special e requirements for operation? | | | | Yes | ⊠ No | If "yes", | please speci | fy: | |
| Estimated technical service life for t | the produc | t is to be enter | ed a | ccording | to one of th | ne following | | | |
| a) Reference service life estimated as being approx. | ☐ 5 years | ☐ 10 years | | ars | ☐ 25 years | ⊠ >50 years | Commen | ts | |
| b) Reference service life estimated t | to be in the | interval of | 70 | years | jeuz | jours | | | |
| , | | | | | | | • | | |
| Other information: | | | | | | | | | |
| 9 Demolition Is the product ready for disassembly apart)? | (taking | □ Not rele | evan | ıt | □ Yes | ⊠ No | If "yes", pl | ease specify: | |
| Does the product require any special to protect health and environment du demolition/disassembly? | measures ring | □ Not rele | vant | t | □ Yes | □ No | If "yes", ple risks relate dust | ease specify: ed to silica | |
| Other information: | | | | | | | | | |
| 10 Waste management | tho | | | | | | 104 | •• | |
| Is it possible to re-use all or parts of product? | | □ Not rele | | | ☐ Yes | ⊠ No | | ease specify: | |
| Is it possible to recycle materials for parts of the product? | | ☐ Not rele | evan | it | ⊠ Yes | □ No | If "yes", pl | ease specify: | |
| Is it possible to recycle energy for a of the product? | ll or parts | □ Not rele | evan | ıt | □ Yes | ⊠ No | If "yes", pl | ease specify: | |
| Does the supplier have any restriction recommendations for re-use, material energy recycling or waste disposal? | als or | □ Not rele | evan | t | ☐ Yes | ⊠ No | If "yes", pl | ease specify: | |
| Enter the waste code for the supplie | * | | | | | | | | |
| Is the supplied product classed as h | azardous v | vaste? | | | | | ☐ Yes | ⊠ No | |
| If the chamical commercial and of the | modust 410 | form often 1 | 1 L | oon built | in form 41 : | t mbiok it t | and at the time | o of | |
| If the chemical composition of the p | nouuct all | icis aitel Havil | ıg 0 | cen dant | m nom tha | a which it fi | iau ai iiie iiii | E 01 | |

If the chemical composition of the product differs after having been built in from that which it had at the time of delivery, meaning that another waste code is given to the finished **built in** product, then this should be entered here. If it is unchanged, the following details can be omitted.

| Enter the waste code for | the built in product | | | | | | | | |
|-----------------------------------|--|------------------------------|---------------------------|-----------------------|-------------|------|--|--|--|
| Is the built in product cl | ☐ Yes | □ No | | | | | | | |
| Other information: | Other information: | | | | | | | | |
| 11 Indoor enviro | nment (To add a r | new green row, select and co | py an e | ntire empty row and p | aste it in) | | | | |
| When used as intended, | ☐ The product does not have any emissions (see attachment) | | | e any | | | | | |
| Type of emission | Quantity [µg/m²h] | or [mg/m³h] | Meti | nod of | Comme | nts | | | |
| | 4 weeks | 26 weeks | measurement | | | | | | |
| | | | | | | | | | |
| | | | | | 1 | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | Т | г | | | |
| Can the product itself give | ve rise to any noise? | | \square N | ot relevant | ☐ Yes | ⊠ No | | | |
| Value | Į | Jnit | Method of measuremen | | t | | | | |
| Can the product give rise | e to electrical fields? | | ☐ Not relevant | | ☐ Yes | ⊠ No | | | |
| Value | Į | Jnit | Method of measurement | | | | | | |
| Can the product give rise | e to magnetic fields? | | ☐ Not relevant ☐ Yes ☒ No | | | ⊠ No | | | |
| Value | J | Jnit | Meth | od of measuremen | t | | | | |
| Other information: | | | | | | | | | |

References

iso 9001 certificate MSDS Atlas Concorde VOC emissions certificate

Appendices